

POME-BAC

CARA PENGGUNAAN

Sukatan harian yang dicadangkan adalah 60 mL *POME-BAC* untuk seliter air, dibahagikan kepada tiga bahagian (20 mL sekali) setiap hari. Penggunaan makanan lain tidak diperlukan. Stok pelepasan awal/10 mL: rotifer (750), copepod dan *Moina* (2)

SIMPANAN

- a) Sejuk beku untuk simpanan jangka masa panjang
- b) Tahan sehingga sebulan jika disejukkan (4°C)

AWAS

Ini adalah produk bukan hidup yang dihasilkan untuk akuakultur dan BUKAN untuk penggunaan manusia secara langsung. Maklumat yang dinyatakan adalah berdasarkan kajian dan pengalaman pengendalian. Pengguna adalah dinasihatkan untuk menggunakan tatacara pemakanan tersendiri jika perlu.

推荐用法

建议每 1 公升水使用 20 毫升 *POME-BAC*，每日 3 次。不需要其他饲料。放养初期/10 毫升：轮虫 (750)，桡足类和裸腹藻 (2)

存储方法

- a) 保持冷冻
- b) 储存在冰箱 (4°C) 最多可维持一个月

注意事项


本产品不适于人类直接食用。*POME-BAC* 乃非生物产品，仅适于水产养殖。以上资讯来自多年的研究及实地经验，若有任何需要可自行调配喂养方案。



POME-BAC

- 1) Easy to culture
- 2) Non-toxic and non-pathogenic
- 3) Rich in protein, with PUFAs and HUFAs
- 4) Convenient to use
- 5) Organic, no use of chemicals to produce
- 6) Economical
- 7) Long shelf life of at least 3 years

“Simple, Safe and Economical”



POME-BAC products



Usage of *POME-BAC*




POME-BAC



FISH



ROTIFER



COPEPODS



MOINA




ARTEMIA

ZOOPLANKTON



Fishes and Crustaceans Feed on *POME-BAC*

FISH



Marble goby



Kelah merah



Temoleh



Koi



Baung Sungai



Crimson snapper


CRUSTACEANS



Crayfish



Udang galah



Blue swimming crab